

# Safety Data Sheet

## EuroVanillin Plus SB 18

Issued: 12/07/2018  
Version: 1.0.0

### SECTION 1: Identification of the substance/preparation and of the company/undertaking

#### 1.1. Product identifier

Trade name: EuroVanillin Plus SB 18

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Inadvisable uses: None known.

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Company: Borregaard AS  
Address: P.O. Box 162  
City: 1701 Sarpsborg  
Country: NORWAY  
E-mail: sds@borregaard.com  
Phone: + 47 69 11 80 00  
Fax: + 47 69 11 87 70

#### 1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

CLP-classification: Eye Irrit. 2;H319

Most serious harmful effects: Causes serious eye irritation.

#### 2.2. Label elements

##### Pictograms



Signal word: Warning

##### Contains

Substance: Ethyl vanillin; Vanillin

##### H-phrases

H319 Causes serious eye irritation.

##### P-phrases

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313 If eye irritation persists: Get medical advice/attention.

# Safety Data Sheet

## EuroVanillin Plus SB 18

Issued: 12/07/2018  
Version: 1.0.0

P264 Wash hands thoroughly after handling.

### 2.3. Other hazards

May form explosible dust-air mixture if dispersed.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Substance	CAS number	EC No	REACH Reg. No.	Concentration	Notes	CLP-classification
Vanillin	121-33-5	204-465-2	01-2119516040-60	0 - 10%		Eye Irrit. 2;H319
Ethyl vanillin	121-32-4	204-464-7	01-2119958961-24	20 - 40%		Eye Irrit. 2;H319

Please see section 16 for the full text of H-phrases.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation:</b>	Seek fresh air, wash out mouth with water and blow nose thoroughly.
<b>Ingestion:</b>	Seek medical advice in case of persistent discomfort.
<b>Skin contact:</b>	Remove contaminated clothing. Wash the skin thoroughly with water and continue washing for a long time. Wash contaminated clothing before reuse.
<b>Eye contact:</b>	Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

### 4.2. Most important symptoms and effects, both acute and delayed

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media:** Extinguish with powder, foam, carbon dioxide or water mist. The product is not directly flammable. Choose extinguishing agents based on the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes - seek fresh air.

### 5.3. Advice for fire-fighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:** Provide good ventilation. Wear safety goggles if there is a risk of dust contact with eyes.

### 6.2. Environmental precautions

Avoid unnecessary release to the environment. Do not discharge large quantities of concentrated spills and residue into drains.

# Safety Data Sheet

## EuroVanillin Plus SB 18

Issued: 12/07/2018  
Version: 1.0.0

### 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Rinse with water. Do not sweep - use vacuum cleaner to collect spillage.

### 6.4. Reference to other sections

See section 13 for instructions on disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Work processes where generation of dust may occur must be performed under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a dry, cool, well-ventilated area. Do not expose to heat (e.g. sunlight).

### 7.3. Specific end use(s)

None.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limit

Substance name	Time period	ppm	mg/m3	fiber/cm3	Comments	Remarks
Ethyl vanillin	8h		5		org.støv	

#### PNEC

Exposure	Value	Assessment Factor	Extrapolation Method	Note
Vanillin				
PNEC soil	19,56 mg/kg soil dw			
PNEC aqua (freshwater)	0,118 mg/l			
PNEC aqua (marine water)	0,0118 mg/l			
PNEC STP (wastewater-treatment facilities)	10,0 mg/l			
PNEC sediment (marine water)	5,822 mg/l			

#### DNEL - general population

Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Vanillin					
Oral DNEL (acute/short-term exposure - systemic effects)	10 mg/kg/day				

### 8.2. Exposure controls

**Exposure controls:** All work must be carried out under well-ventilated conditions. Wash hands before breaks, before using restroom facilities, and at the end of work. Do not eat, drink or smoke during work.

**Appropriate engineering** Provide good ventilation. Running water and eye wash equipment must be available.

# Safety Data Sheet

## EuroVanillin Plus SB 18

Issued: 12/07/2018  
Version: 1.0.0

### controls:

**Personal protective equipment,** Wear safety goggles.

### eye/face protection:

**Personal protective equipment,** Wear suitable protective clothing.

### skin protection:

**Personal protective equipment,** Not required.

### hand protection:

**Personal protective equipment,** Wear respiratory protective equipment with P2 filter when performing dusty work.

### respiratory protection:

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Crystals or powder.
Colour	White. Light yellow.
Odour	Characteristic odour.
Solubility	No data
Explosive properties	No data
Oxidising properties	No data

Parameter	Value/unit	Remarks
pH (solution for use)	~ 4.50	
pH (concentrate)	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flash Point	No data	
Evaporation rate	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Vapour pressure	No data	
Vapour density	No data	
Relative density	No data	
Partition coefficient n-octanol/water	No data	
Auto-ignition temperature	> 400 °C	
Decomposition temperature	No data	
Viscosity	No data	
Odour threshold	No data	

### 9.2 Other information

Parameter	Value/unit	Remarks
Minimum Ex.concentration	0,01 g/m3	

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No known data.

# Safety Data Sheet

## EuroVanillin Plus SB 18

Issued: 12/07/2018  
Version: 1.0.0

### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids/ Strong alkalis/ Oxidisers.

### 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide/

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

##### Ethyl vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 3100mg/kg		OECD 401	REACH dossier

##### Vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 3925mg/kg		OECD 423	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - dermal

##### Ethyl vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000mg/kg		OECD 402	REACH dossier

##### Vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000mg/kg		OECD 402	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

**Acute toxicity - inhalation:** Based on existing data, the classification criteria are deemed not to have been met.

#### Skin corrosion/irritation

##### Ethyl vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Non-irritating	OECD 404	REACH dossier

##### Vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat				Non-irritating	EU Method B.3	REACH dossier

#### Serious eye damage/eye irritation

##### Ethyl vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Slightly irritating	OECD 405	REACH dossier

##### Vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Slightly irritating	OECD 405	REACH dossier

# Safety Data Sheet

## EuroVanillin Plus SB 18

Issued: 12/07/2018

Version: 1.0.0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Irritating	OECD 405	REACH dossier

### Respiratory sensitisation or skin sensitisation

#### Ethyl vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse				Non-sensitising	OECD 429	REACH dossier

#### Vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig				Non-sensitising	EU Method B.6 (Skin Sensitisation)	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

### Germ cell mutagenicity

#### Ethyl vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				Not mutagenic	Ames test	REACH dossier

#### Vanillin

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				Not mutagenic	Ames test	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

### Other toxicological effects:

Acceptable daily intake (ADI) for human is intended for 0-10 mg/kg/day (The Joint FAO/WHO Expert Committee on Food Additives. )

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ethyl vanillin

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hEC50	~ 87.6mg/l		OECD 203	REACH dossier

#### Vanillin

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hLC50	~ 83.7mg/l		OECD 203	REACH dossier
Crustacea	Daphnia magna		48hEC50	~ 36.79mg/l		OECD 202	REACH dossier
Algae	Pseudokirchneriella subcapitata		72hEC50	~ 120mg/l		OECD 201	REACH dossier

No effect on the environment.

### 12.2. Persistence and degradability

#### Ethyl vanillin

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Readily biodegradable.	OECD 301 C	REACH dossier

#### Vanillin

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
----------	---------	---------------	-----------	-------	------------	-------------	--------

# Safety Data Sheet

## EuroVanillin Plus SB 18

Issued: 12/07/2018

Version: 1.0.0

					Readily biodegradable.	ISO 5815 (Water quality - Determination of BOD5)	
--	--	--	--	--	------------------------	--	--

### 12.3. Bioaccumulative potential

No bioaccumulation expected.

### 12.4. Mobility in soil

Poorly soluble in the following: Water.

### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

### 12.6. Other adverse effects

None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Avoid unnecessary release to the environment. Do not discharge large quantities of concentrated spills and residue into drains. Contact the local authorities.

## SECTION 14: Transport information

**14.1. UN-No.:** Not applicable.

**14.2. UN proper shipping name:** Not applicable.

**14.3. Transport hazard class(es):** Not applicable.

**14.4. Packing group:** Not applicable.

**14.5. Environmental hazards:** Not applicable.

### 14.6. Special precautions for user

None.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** ADR/RID. REACH (EC 1907/2006) GHS/CLP (EC NO1272/2008) GHS USA June, 2015.

### 15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name
01-2119516040-60	Vanillin

**Other Information:** Components are listed in EINECS (Europe), TSCA (USA), DSL (Canada), AICS (Australia), MITI (Japan) og KECL (South Korea) European Council: List 1, Nr. 107 .France: permission to be used in food where artificial aromas can be used..FDA: GRAS Status: CFR 21 - Part. 182.60 page 413 (1995).FEMA: GRAS Status: Nr. FEMA 3107.

## SECTION 16: Other information

# Safety Data Sheet

## EuroVanillin Plus SB 18

Issued: 12/07/2018

Version: 1.0.0

### Version history and indication of changes

Version	Revision date	Responsible	Changes
1.0.0	12/07/2018	Borregaard AS	Initial release

### Vendor notes:

Information given in this safety data sheet is in accordance with our information, and to the best of our knowledge, was correct on the last revision date. Information given is intended to present guidelines for safe handling, use, processing, storage, transport, disposal and discharge; it is not intended to be a guarantee or quality specification. It is the responsibility of the recipient of this safety data sheet to ensure that information given here is read and understood by all who use, handle, dispose of or in any way come in contact with the product.

### Classification method:

ADR/RID. REACH (EC 1907/2006) GHS/CLP (EC NO1272/2008) GHS USA June, 2015.

### List of relevant H-statements

H319 Causes serious eye irritation.

### Document language:

GB